

Luci SHIN UQ FLEX mini α IP67

Illuminance data




LFUMAY-O-2 Luci SHIN UQ FLEX mini α IP67 2.1 W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUMAY-T1000**-D-DF-O-2
Light source color 6500K
Brightness 34 cd
Luminous flux 100 lm
Color rendering index Ra 95




LFUMAY-T1000**-L27-DF-O-2
Light source color 2700K
Brightness 30 cd
Luminous flux 88 lm
Color rendering index Ra 93




LFUMAY-T1000**-N-DF-O-2
Light source color 5000K
Brightness 33 cd
Luminous flux 99 lm
Color rendering index Ra 92




LFUMAY-T1000**-L25-DF-O-2
Light source color 2500K
Brightness 22 cd
Luminous flux 65 lm
Color rendering index Ra 93




LFUMAY-T1000**-W-DF-O-2
Light source color 4000K
Brightness 33 cd
Luminous flux 97 lm
Color rendering index Ra 96




LFUMAY-T1000**-L22-DF-O-2
Light source color 2200K
Brightness 20 cd
Luminous flux 61 lm
Color rendering index Ra 92




LFUMAY-T1000**-WW-DF-O-2
Light source color 3500K
Brightness 32 cd
Luminous flux 96 lm
Color rendering index Ra 96




LFUMAY-T1000**-L20-DF-O-2
Light source color 2000K
Brightness 18 cd
Luminous flux 56 lm
Color rendering index Ra 90




LFUMAY-T1000**-L30-DF-O-2
Light source color 3000K
Brightness 31 cd
Luminous flux 93 lm
Color rendering index Ra 94



LFUMAY-T1000**-L18-DF-O-2
Light source color 1800K
Brightness 17 cd
Luminous flux 54 lm
Color rendering index Ra 90



Luminous intensity distribution



Luci SHIN UQ FLEX mini α IP67

Illuminance data




LFUMAY-O-4 Luci SHIN UQ FLEX mini α IP67 4.0 W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUMAY-T1000**-D-DF-O-4
Light source color 6500K
Brightness 70 cd
Luminous flux 204 lm
Color rendering index Ra 95




LFUMAY-T1000**-L27-DF-O-4
Light source color 2700K
Brightness 61 cd
Luminous flux 180 lm
Color rendering index Ra 93




LFUMAY-T1000**-N-DF-O-4
Light source color 5000K
Brightness 69 cd
Luminous flux 202 lm
Color rendering index Ra 92




LFUMAY-T1000**-L25-DF-O-4
Light source color 2500K
Brightness 45 cd
Luminous flux 133 lm
Color rendering index Ra 93




LFUMAY-T1000**-W-DF-O-4
Light source color 4000K
Brightness 67 cd
Luminous flux 198 lm
Color rendering index Ra 96




LFUMAY-T1000**-L22-DF-O-4
Light source color 2200K
Brightness 42 cd
Luminous flux 124 lm
Color rendering index Ra 92




LFUMAY-T1000**-WW-DF-O-4
Light source color 3500K
Brightness 67 cd
Luminous flux 196 lm
Color rendering index Ra 96




LFUMAY-T1000**-L20-DF-O-4
Light source color 2000K
Brightness 38 cd
Luminous flux 114 lm
Color rendering index Ra 90




LFUMAY-T1000**-L30-DF-O-4
Light source color 3000K
Brightness 65 cd
Luminous flux 191 lm
Color rendering index Ra 94



LFUMAY-T1000**-L18-DF-O-4
Light source color 1800K
Brightness 35 cd
Luminous flux 110 lm
Color rendering index Ra 90



Luminous intensity distribution



Luci SHIN UQ FLEX mini α IP67

Illuminance data



LFUMAY-O-5


Luci SHIN UQ FLEX mini α IP67 5.9 W/m

Color temperature


6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUMAY-T1000**-D-DF-O-5
Light source color 6500K
Brightness 115 cd
Luminous flux 312 lm
Color rendering index Ra 95




LFUMAY-T1000**-L27-DF-O-5
Light source color 2700K
Brightness 100 cd
Luminous flux 276 lm
Color rendering index Ra 93




LFUMAY-T1000**-N-DF-O-5
Light source color 5000K
Brightness 112 cd
Luminous flux 309 lm
Color rendering index Ra 92




LFUMAY-T1000**-L25-DF-O-5
Light source color 2500K
Brightness 74 cd
Luminous flux 204 lm
Color rendering index Ra 93




LFUMAY-T1000**-W-DF-O-5
Light source color 4000K
Brightness 110 cd
Luminous flux 304 lm
Color rendering index Ra 96




LFUMAY-T1000**-L22-DF-O-5
Light source color 2200K
Brightness 69 cd
Luminous flux 191 lm
Color rendering index Ra 92




LFUMAY-T1000**-WW-DF-O-5
Light source color 3500K
Brightness 109 cd
Luminous flux 301 lm
Color rendering index Ra 96




LFUMAY-T1000**-L20-DF-O-5
Light source color 2000K
Brightness 63 cd
Luminous flux 174 lm
Color rendering index Ra 90




LFUMAY-T1000**-L30-DF-O-5
Light source color 3000K
Brightness 106 cd
Luminous flux 293 lm
Color rendering index Ra 94



LFUMAY-T1000**-L18-DF-O-5
Light source color 1800K
Brightness 57 cd
Luminous flux 168 lm
Color rendering index Ra 90



Luminous intensity distribution



Luci SHIN UQ FLEX mini α IP67

Illuminance data




LFUMAY-O-9 Luci SHIN UQ FLEX mini α IP67 9.9 W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUMAY-T1000**-D-DF-O-9
Light source color 6500K
Brightness 176 cd
Luminous flux 507 lm
Color rendering index Ra 95




LFUMAY-T1000**-L27-DF-O-9
Light source color 2700K
Brightness 153 cd
Luminous flux 448 lm
Color rendering index Ra 93




LFUMAY-T1000**-N-DF-O-9
Light source color 5000K
Brightness 171 cd
Luminous flux 502 lm
Color rendering index Ra 92




LFUMAY-T1000**-L25-DF-O-9
Light source color 2500K
Brightness 113 cd
Luminous flux 332 lm
Color rendering index Ra 93




LFUMAY-T1000**-W-DF-O-9
Light source color 4000K
Brightness 168 cd
Luminous flux 493 lm
Color rendering index Ra 96




LFUMAY-T1000**-L22-DF-O-9
Light source color 2200K
Brightness 105 cd
Luminous flux 309 lm
Color rendering index Ra 92




LFUMAY-T1000**-WW-DF-O-9
Light source color 3500K
Brightness 167 cd
Luminous flux 489 lm
Color rendering index Ra 96




LFUMAY-T1000**-L20-DF-O-9
Light source color 2000K
Brightness 96 cd
Luminous flux 283 lm
Color rendering index Ra 90




LFUMAY-T1000**-L30-DF-O-9
Light source color 3000K
Brightness 162 cd
Luminous flux 475 lm
Color rendering index Ra 94



LFUMAY-T1000**-L18-DF-O-9
Light source color 1800K
Brightness 88 cd
Luminous flux 274 lm
Color rendering index Ra 90



Luminous intensity distribution



Luci SHIN UQ FLEX mini α IP67

Illuminance data




LFUMAY-O-14 Luci SHIN UQ FLEX mini α IP67 14.9W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUMAY-T1000**-D-DF-O-14
Light source color 6500K
Brightness 279 cd
Luminous flux 790 lm
Color rendering index Ra 95




LFUMAY-T1000**-L27-DF-O-14
Light source color 2700K
Brightness 243 cd
Luminous flux 699 lm
Color rendering index Ra 93




LFUMAY-T1000**-N-DF-O-14
Light source color 5000K
Brightness 272 cd
Luminous flux 783 lm
Color rendering index Ra 92




LFUMAY-T1000**-L25-DF-O-14
Light source color 2500K
Brightness 180 cd
Luminous flux 517 lm
Color rendering index Ra 93




LFUMAY-T1000**-W-DF-O-14
Light source color 4000K
Brightness 267 cd
Luminous flux 769 lm
Color rendering index Ra 96




LFUMAY-T1000**-L22-DF-O-14
Light source color 2200K
Brightness 167 cd
Luminous flux 482 lm
Color rendering index Ra 92




LFUMAY-T1000**-WW-DF-O-14
Light source color 3500K
Brightness 265 cd
Luminous flux 762 lm
Color rendering index Ra 96




LFUMAY-T1000**-L20-DF-O-14
Light source color 2000K
Brightness 153 cd
Luminous flux 440 lm
Color rendering index Ra 90



LFUMAY-T1000**-L30-DF-O-14
Light source color 3000K
Brightness 257 cd
Luminous flux 741 lm
Color rendering index Ra 94



LFUMAY-T1000**-L18-DF-O-14
Light source color 1800K
Brightness 1393 cd
Luminous flux 426 lm
Color rendering index Ra 90



Luminous intensity distribution

