


Luci SHIN UQ FLEX IP67


Illuminance data




LFUY-O-5 Luci SHIN UQ FLEX IP67 5.9W/m

Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart




Luminous intensity distribution



Luci SHIN UQ FLEX IP67

Illuminance data




LFUY-O-9 Luci SHIN UQ FLEX IP67 9.9W/m

Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart




Luminous intensity distribution



Luci SHIN UQ FLEX IP67

Illuminance data




LFUY-O-14 Luci SHIN UQ FLEX IP67 14.9W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUY-T1000**-D-DF-O-14
Light source color 6500K
Brightness 364 cd
Luminous flux 1306 lm
Color rendering index Ra 96




LFUY-T1000**-L27-DF-O-14
Light source color 2700K
Brightness 316 cd
Luminous flux 1155 lm
Color rendering index Ra 94




LFUY-T1000**-N-DF-O-14
Light source color 5000K
Brightness 354 cd
Luminous flux 1294 lm
Color rendering index Ra 93




LFUY-T1000**-L25-DF-O-14
Light source color 2500K
Brightness 234 cd
Luminous flux 855 lm
Color rendering index Ra 94




LFUY-T1000**-W-DF-O-14
Light source color 4000K
Brightness 348 cd
Luminous flux 1271 lm
Color rendering index Ra 97




LFUY-T1000**-L22-DF-O-14
Light source color 2200K
Brightness 218 cd
Luminous flux 797 lm
Color rendering index Ra 93




LFUY-T1000**-WW-DF-O-14
Light source color 3500K
Brightness 345 cd
Luminous flux 1259 lm
Color rendering index Ra 97




LFUY-T1000**-L20-DF-O-14
Light source color 2000K
Brightness 199 cd
Luminous flux 728 lm
Color rendering index Ra 91




LFUY-T1000**-L30-DF-O-14
Light source color 3000K
Brightness 335 cd
Luminous flux 1225 lm
Color rendering index Ra 95



LFUY-T1000**-L18-DF-O-14
Light source color 1800K
Brightness 193 cd
Luminous flux 705 lm
Color rendering index Ra 90




Luminous intensity distribution



Luci SHIN UQ FLEX IP67

Illuminance data




LFUY-O-19 Luci SHIN UQ FLEX IP67 19.8W/m


Color temperature
6500K 5000K 4000K 3500K 3000K 2700K 2500K 2200K 2000K 1800K

Direct horizontal surface light intensity distribution chart


LFUY-T1000**-D-DF-O-19
Light source color 6500K
Brightness 473 cd
Luminous flux 1683 lm
Color rendering index Ra 96




LFUY-T1000**-L27-DF-O-19
Light source color 2700K
Brightness 411 cd
Luminous flux 1489 lm
Color rendering index Ra 94




LFUY-T1000**-N-DF-I-19
Light source color 5000K
Brightness 460 cd
Luminous flux 1668 lm
Color rendering index Ra 93




LFUY-T1000**-L25-DF-O-19
Light source color 2500K
Brightness 304 cd
Luminous flux 1102 lm
Color rendering index Ra 94




LFUY-T1000**-W-DF-O-19
Light source color 4000K
Brightness 452 cd
Luminous flux 1638 lm
Color rendering index Ra 97




LFUY-T1000**-L22-DF-O-19
Light source color 2200K
Brightness 283 cd
Luminous flux 1027 lm
Color rendering index Ra 93




LFUY-T1000**-WW-DF-O-19
Light source color 3500K
Brightness 448 cd
Luminous flux 1623 lm
Color rendering index Ra 97




LFUY-T1000**-L20-DF-O-19
Light source color 2000K
Brightness 259 cd
Luminous flux 938 lm
Color rendering index Ra 91



LFUY-T1000**-L30-DF-O-19
Light source color 3000K
Brightness 436 cd
Luminous flux 1578 lm
Color rendering index Ra 95



LFUY-T1000**-L18-DF-O-19
Light source color 1800K
Brightness 259 cd
Luminous flux 908 lm
Color rendering index Ra 90



Luminous intensity distribution

