

Illuminance data

		10.5W/m	21.5W/m	31.6W/m
DN	D 100% / N 0%	658	1389	1979
	D 0% / N 100%	653	1376	1961
	D 100% / N 100%	1311	2765	3940
DW	D 100% / W 0%	658	1389	1979
	D 0% / W 100%	641	1352	1926
	D 100% / W 100%	1299	2740	3905
DWW	D 100% / WW 0%	658	1389	1979
	D 0% / WW 100%	635	1340	1909
	D 100% / WW 100%	1293	2728	3887
DL30	D 100% / L30 0%	658	1389	1979
	D 0% / L30 100%	618	1303	1856
	D 100% / L30 100%	1276	2691	3835
DL27	D 100% / L27 0%	658	1389	1979
	D 0% / L27 100%	583	1229	1751
	D 100% / L27 100%	1241	2618	3730
DL25	D 100% / L25 0%	658	1389	1979
	D 0% / L25 100%	431	909	1296
	D 100% / L25 100%	1089	2298	3274
DL22	D 100% / L22 0%	658	1389	1979
	D 0% / L22 100%	402	848	1208
	D 100% / L22 100%	1060	2237	3187
DL20	D 100% / L20 0%	658	1389	1979
	D 0% / L20 100%	367	774	1103
	D 100% / L20 100%	1025	2163	3082
NW	N 100% / W 0%	653	1376	1961
	N 0% / W 100%	641	1352	1926
	N 100% / W 100%	1293	2728	3887
NWW	N 100% / WW 0%	653	1376	1961
	N 0% / WW 100%	635	1340	1909
	N 100% / WW 100%	1288	2716	3870
NL30	N 100% / L30 0%	653	1376	1961
	N 0% / L30 100%	618	1303	1856
	N 100% / L30 100%	1270	2679	3817
NL27	N 100% / L27 0%	653	1376	1961
	N 0% / L27 100%	583	1229	1751
	N 100% / L27 100%	1235	2605	3712
NL25	N 100% / L25 0%	653	1376	1961
	N 0% / L25 100%	431	909	1296
	N 100% / L25 100%	1084	2286	3257
NL22	N 100% / L22 0%	653	1376	1961
	N 0% / L22 100%	402	848	1208
	N 100% / L22 100%	1055	2224	3169
NL20	N 100% / L20 0%	653	1376	1961
	N 0% / L20 100%	367	774	1103
	N 100% / L20 100%	1020	2151	3064
WWW	W 100% / WW 0%	641	1352	1926
	W 0% / WW 100%	635	1340	1909
	W 100% / WW 100%	1276	2691	3835
WL30	W 100% / L30 0%	641	1352	1926
	W 0% / L30 100%	618	1303	1856
	W 100% / L30 100%	1258	2654	3782
WL27	W 100% / L27 0%	641	1352	1926
	W 0% / L27 100%	583	1229	1751
	W 100% / L27 100%	1223	2581	3677
WL25	W 100% / L25 0%	641	1352	1926
	W 0% / L25 100%	431	909	1296
	W 100% / L25 100%	1072	2261	3222
WL22	W 100% / L22 0%	641	1352	1926
	W 0% / L22 100%	402	848	1208
	W 100% / L22 100%	1043	2200	3134
WL20	W 100% / L20 0%	641	1352	1926
	W 0% / L20 100%	367	774	1103
	W 100% / L20 100%	1008	2126	3029
WWL30	WW 100% / L30 0%	635	1340	1909
	WW 0% / L30 100%	618	1303	1856
	WW 100% / L30 100%	1253	2642	3765
WWL27	WW 100% / L27 0%	635	1340	1909
	WW 0% / L27 100%	583	1229	1751
	WW 100% / L27 100%	1218	2568	3659
WWL25	WW 100% / L25 0%	635	1340	1909
	WW 0% / L25 100%	431	909	1296
	WW 100% / L25 100%	1066	2249	3204
WWL22	WW 100% / L22 0%	635	1340	1909
	WW 0% / L22 100%	402	848	1208
	WW 100% / L22 100%	1037	2187	3117
WWL20	WW 100% / L20 0%	635	1340	1909
	WW 0% / L20 100%	367	774	1103
	WW 100% / L20 100%	1002	2114	3012

		10.5W/m	21.5W/m	31.6W/m
L30L27	L30 100% / L27 0%	618	1303	1856
	L30 0% / L27 100%	583	1229	1751
	L30 100% / L27 100%	1200	2532	3607
L30L25	L30 100% / L25 0%	618	1303	1856
	L30 0% / L25 100%	431	909	1296
	L30 100% / L25 100%	1049	2212	3152
L30L22	L30 100% / L22 0%	618	1303	1856
	L30 0% / L22 100%	402	848	1208
	L30 100% / L22 100%	1020	2151	3064
L30L20	L30 100% / L20 0%	618	1303	1856
	L30 0% / L20 100%	367	774	1103
	L30 100% / L20 100%	985	2077	2959
L27L25	L27 100% / L25 0%	583	1229	1751
	L27 0% / L25 100%	431	909	1296
	L27 100% / L25 100%	1014	2138	3047
L27L22	L27 100% / L22 0%	583	1229	1751
	L27 0% / L22 100%	402	848	1208
	L27 100% / L22 100%	985	2077	2959
L27L20	L27 100% / L20 0%	583	1229	1751
	L27 0% / L20 100%	367	774	1103
	L27 100% / L20 100%	950	2003	2854
L25L22	L25 100% / L22 0%	431	909	1296
	L25 0% / L22 100%	402	848	1208
	L25 100% / L22 100%	833	1757	2504
L25L20	L25 100% / L20 0%	431	909	1296
	L25 0% / L20 100%	367	774	1103
	L25 100% / L20 100%	798	1684	2399
L22L20	L22 100% / L20 0%	402	848	1208
	L22 0% / L20 100%	367	774	1103
	L22 100% / L20 100%	769	1622	2311
DL18	D 100% / L18 0%	658	1389	1979
	D 0% / L18 100%	355	750	1068
	D 100% / L18 100%	1014	2138	3047
NL18	N 100% / L18 0%	653	1376	1961
	N 0% / L18 100%	355	750	1068
	N 100% / L18 100%	1008	2126	3029
WL18	W 100% / L18 0%	641	1352	1926
	W 0% / L18 100%	355	750	1068
	W 100% / L18 100%	996	2101	2994
WWL18	WW 100% / L18 0%	635	1340	1909
	WW 0% / L18 100%	355	750	1068
	WW 100% / L18 100%	990	2089	2977
L30L18	L30 100% / L18 0%	618	1303	1856
	L30 0% / L18 100%	355	750	1068
	L30 100% / L18 100%	973	2052	2924
L27L18	L27 100% / L18 0%	583	1229	1751
	L27 0% / L18 100%	355	750	1068
	L27 100% / L18 100%	938	1979	2819
L25L18	L25 100% / L18 0%	431	909	1296
	L25 0% / L18 100%	355	750	1068
	L25 100% / L18 100%	787	1659	2364
L22L18	L22 100% / L18 0%	402	848	1208
	L22 0% / L18 100%	355	750	1068
	L22 100% / L18 100%	757	1598	2276
L20L18	L20 100% / L18 0%	367	774	1103
	L20 0% / L18 100%	355	750	1068
	L20 100% / L18 100%	722	1524	2171

(lm/m)




LTHY-10 Luci SHIN THOF 10.1W/m

Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-DN-DF-I-10

Light source color 6500K, 5000K
Brightness 230 cd
Luminous flux 1311 lm
Color rendering index Ra 93




LTHY-1000-DW-DF-I-10

Light source color 6500K, 4000K
Brightness 228 cd
Luminous flux 1299 lm
Color rendering index Ra 95




LTHY-1000-DWW-DF-I-10

Light source color 6500K, 3500K
Brightness 227 cd
Luminous flux 1293 lm
Color rendering index Ra 95




LTHY-1000-DL30-DF-I-10

Light source color 6500K, 3000K
Brightness 224 cd
Luminous flux 1276 lm
Color rendering index Ra 96




LTHY-1000-DL27-DF-I-10

Light source color 6500K, 2700K
Brightness 217 cd
Luminous flux 1241 lm
Color rendering index Ra 96




LTHY-1000-DL25-DF-I-10

Light source color 6500K, 2500K
Brightness 191 cd
Luminous flux 1089 lm
Color rendering index Ra 96




LTHY-1000-DL22-DF-I-10

Light source color 6500K, 2200K
Brightness 186 cd
Luminous flux 1060 lm
Color rendering index Ra 96




LTHY-1000-DL20-DF-I-10

Light source color 6500K, 2000K
Brightness 180 cd
Luminous flux 1025 lm
Color rendering index Ra 95




LTHY-1000-NW-DF-I-10

Light source color 5000K, 4000K
Brightness 227 cd
Luminous flux 1293 lm
Color rendering index Ra 93




LTHY-1000-NWW-DF-I-10

Light source color 5000K, 3500K
Brightness 226 cd
Luminous flux 1288 lm
Color rendering index Ra 93




LTHY-1000-NL30-DF-I-10

Light source color 5000K, 3000K
Brightness 223 cd
Luminous flux 1270 lm
Color rendering index Ra 94




LTHY-1000-NL27-DF-I-10

Light source color 5000K, 2700K
Brightness 216 cd
Luminous flux 1235 lm
Color rendering index Ra 95




LTHY-1000-NL25-DF-I-10

Light source color 5000K, 2500K
Brightness 190 cd
Luminous flux 1084 lm
Color rendering index Ra 95




LTHY-1000-NL22-DF-I-10

Light source color 5000K, 2200K
Brightness 185 cd
Luminous flux 1055 lm
Color rendering index Ra 96




LTHY-1000-NL20-DF-I-10

Light source color 6500K, 2500K
Brightness 179 cd
Luminous flux 1020 lm
Color rendering index Ra 97




LTHY-1000-WWW-DF-I-10

Light source color 4000K, 3500K
Brightness 224 cd
Luminous flux 1276 lm
Color rendering index Ra 95




LTHY-1000-WL30-DF-I-10

Light source color 4000K, 3000K
Brightness 221 cd
Luminous flux 1258 lm
Color rendering index Ra 95



LTHY-1000-WL27-DF-I-10

Light source color 4000K, 2700K
Brightness 214 cd
Luminous flux 1233 lm
Color rendering index Ra 96






LTHY-10 Luci SHIN THOF 10.1W/m

Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-WL25-DF-I-10

Light source color 4000K, 2500K
Brightness 188 cd
Luminous flux 1072 lm
Color rendering index Ra 96




LTHY-1000-WL22-DF-I-10

Light source color 4000K, 2200K
Brightness 183 cd
Luminous flux 1043 lm
Color rendering index Ra 97




LTHY-1000-WL20-DF-I-10

Light source color 4000K, 2000K
Brightness 177 cd
Luminous flux 1008 lm
Color rendering index Ra 96




LTHY-1000-WWL30-DF-I-10

Light source color 3500K, 3000K
Brightness 219 cd
Luminous flux 1253 lm
Color rendering index Ra 95




LTHY-1000-WWL27-DF-I-10

Light source color 3500K, 2700K
Brightness 213 cd
Luminous flux 1218 lm
Color rendering index Ra 95




LTHY-1000-WWL25-DF-I-10

Light source color 3500K, 2500K
Brightness 187 cd
Luminous flux 1066 lm
Color rendering index Ra 96




LTHY-1000-WWL22-DF-I-10

Light source color 3500K, 2200K
Brightness 182 cd
Luminous flux 1037 lm
Color rendering index Ra 96




LTHY-1000-WWL20-DF-I-10

Light source color 3500K, 2000K
Brightness 175 cd
Luminous flux 1002 lm
Color rendering index Ra 95




LTHY-1000-L30L27-DF-I-10

Light source color 3000K, 2700K
Brightness 210 cd
Luminous flux 1200 lm
Color rendering index Ra 94




LTHY-1000-L30L25-DF-I-10

Light source color 3000K, 2500K
Brightness 184 cd
Luminous flux 1049 lm
Color rendering index Ra 94




LTHY-1000-L30L22-DF-I-10

Light source color 3000K, 2200K
Brightness 179 cd
Luminous flux 1020 lm
Color rendering index Ra 94




LTHY-1000-L30L20-DF-I-10

Light source color 3000K, 2000K
Brightness 172 cd
Luminous flux 985 lm
Color rendering index Ra 95




LTHY-1000-L27L25-DF-I-10

Light source color 2700K, 2500K
Brightness 178 cd
Luminous flux 1014 lm
Color rendering index Ra 94




LTHY-1000-L27L22-DF-I-10

Light source color 2700K, 2200K
Brightness 172 cd
Luminous flux 985 lm
Color rendering index Ra 94




LTHY-1000-L27L20-DF-I-10

Light source color 2700K, 2000K
Brightness 166 cd
Luminous flux 950 lm
Color rendering index Ra 94




LTHY-1000-L25L22-DF-I-10

Light source color 2500K, 2200K
Brightness 146 cd
Luminous flux 833 lm
Color rendering index Ra 94




LTHY-1000-L25L20-DF-I-10

Light source color 2500K, 2000K
Brightness 140 cd
Luminous flux 798 lm
Color rendering index Ra 94



LTHY-1000-L22L20-DF-I-10

Light source color 2200K, 2000K
Brightness 135 cd
Luminous flux 769 lm
Color rendering index Ra 93






LTHY-10
Luci SHIN THOF 10.1W/m


Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-DL18-DF-I-10
Light source color 6500K, 1800K
Brightness 178 cd
Luminous flux 1014 lm
Color rendering index Ra -




LTHY-1000-NL18-DF-I-10
Light source color 5000K, 1800K
Brightness 177 cd
Luminous flux 1008 lm
Color rendering index Ra -




LTHY-1000-WL18-DF-I-10
Light source color 4000K, 1800K
Brightness 174 cd
Luminous flux 996 lm
Color rendering index Ra -




LTHY-1000-WWL18-DF-I-10
Light source color 3500K, 1800K
Brightness 173 cd
Luminous flux 990 lm
Color rendering index Ra -




LTHY-1000-L30L18-DF-I-10
Light source color 3000K, 1800K
Brightness 170 cd
Luminous flux 973 lm
Color rendering index Ra -




LTHY-1000-L27L18-DF-I-10
Light source color 2700K, 1800K
Brightness 164 cd
Luminous flux 938 lm
Color rendering index Ra -




LTHY-1000-L25L18-DF-I-10
Light source color 2500K, 1800K
Brightness 138 cd
Luminous flux 787 lm
Color rendering index Ra -



LTHY-1000-L22L18-DF-I-10
Light source color 2200K, 1800K
Brightness 132 cd
Luminous flux 757 lm
Color rendering index Ra -



LTHY-1000-L20L18-DF-I-10
Light source color 2000K, 1800K
Brightness 126 cd
Luminous flux 722 lm
Color rendering index Ra -






LTHY-21 Luci SHIN THOF 21.5W/m

Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-DN-DF-I-21

Light source color 6500K, 5000K
Brightness 448 cd
Luminous flux 2765 lm
Color rendering index Ra 93




LTHY-1000-DW-DF-I-21

Light source color 6500K, 4000K
Brightness 444 cd
Luminous flux 2740 lm
Color rendering index Ra 95




LTHY-1000-DWW-DF-I-21

Light source color 6500K, 3500K
Brightness 442 cd
Luminous flux 2728 lm
Color rendering index Ra 95




LTHY-1000-DL30-DF-I-21

Light source color 6500K, 3000K
Brightness 436 cd
Luminous flux 2691 lm
Color rendering index Ra 96




LTHY-1000-DL27-DF-I-21

Light source color 6500K, 2700K
Brightness 424 cd
Luminous flux 2618 lm
Color rendering index Ra 96




LTHY-1000-DL25-DF-I-21

Light source color 6500K, 2500K
Brightness 372 cd
Luminous flux 2298 lm
Color rendering index Ra 96




LTHY-1000-DL22-DF-I-21

Light source color 6500K, 2200K
Brightness 362 cd
Luminous flux 2237 lm
Color rendering index Ra 96




LTHY-1000-DL20-DF-I-21

Light source color 6500K, 2000K
Brightness 350 cd
Luminous flux 2163 lm
Color rendering index Ra 95




LTHY-1000-NW-DF-I-21

Light source color 5000K, 4000K
Brightness 442 cd
Luminous flux 2728 lm
Color rendering index Ra 93




LTHY-1000-NWW-DF-I-21

Light source color 5000K, 3500K
Brightness 440 cd
Luminous flux 2716 lm
Color rendering index Ra 93




LTHY-1000-NL30-DF-I-21

Light source color 5000K, 3000K
Brightness 434 cd
Luminous flux 2679 lm
Color rendering index Ra 94




LTHY-1000-NL27-DF-I-21

Light source color 5000K, 2700K
Brightness 422 cd
Luminous flux 2605 lm
Color rendering index Ra 95




LTHY-1000-NL25-DF-I-21

Light source color 5000K, 2500K
Brightness 370 cd
Luminous flux 2286 lm
Color rendering index Ra 95




LTHY-1000-NL22-DF-I-21

Light source color 5000K, 2200K
Brightness 360 cd
Luminous flux 2224 lm
Color rendering index Ra 96




LTHY-1000-NL20-DF-I-21

Light source color 6500K, 2500K
Brightness 348 cd
Luminous flux 2151 lm
Color rendering index Ra 97




LTHY-1000-WWW-DF-I-21

Light source color 4000K, 3500K
Brightness 436 cd
Luminous flux 2691 lm
Color rendering index Ra 95




LTHY-1000-WL30-DF-I-21

Light source color 4000K, 3000K
Brightness 430 cd
Luminous flux 2654 lm
Color rendering index Ra 95



LTHY-1000-WL27-DF-I-21

Light source color 4000K, 2700K
Brightness 418 cd
Luminous flux 2581 lm
Color rendering index Ra 96



Illuminance data




LTHY-21
Luci SHIN THOF 21.5W/m


Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-WL25-DF-I-21
Light source color 4000K, 2500K
Brightness 366 cd
Luminous flux 2261 lm
Color rendering index Ra 96




LTHY-1000-WL22-DF-I-21
Light source color 4000K, 2200K
Brightness 356 cd
Luminous flux 2200 lm
Color rendering index Ra 97




LTHY-1000-WL20-DF-I-21
Light source color 4000K, 2000K
Brightness 344 cd
Luminous flux 2126 lm
Color rendering index Ra 96




LTHY-1000-WWL30-DF-I-21
Light source color 3500K, 3000K
Brightness 428 cd
Luminous flux 2642 lm
Color rendering index Ra 95




LTHY-1000-WWL27-DF-I-21
Light source color 3500K, 2700K
Brightness 416 cd
Luminous flux 2568 lm
Color rendering index Ra 95




LTHY-1000-WWL25-DF-I-21
Light source color 3500K, 2500K
Brightness 364 cd
Luminous flux 2249 lm
Color rendering index Ra 96




LTHY-1000-WWL22-DF-I-21
Light source color 3500K, 2200K
Brightness 354 cd
Luminous flux 2187 lm
Color rendering index Ra 96




LTHY-1000-WWL20-DF-I-21
Light source color 3500K, 2000K
Brightness 342 cd
Luminous flux 2114 lm
Color rendering index Ra 95




LTHY-1000-L30L27-DF-I-21
Light source color 3000K, 2700K
Brightness 410 cd
Luminous flux 2532 lm
Color rendering index Ra 94




LTHY-1000-L30L25-DF-I-21
Light source color 3000K, 2500K
Brightness 358 cd
Luminous flux 2212 lm
Color rendering index Ra 94




LTHY-1000-L30L22-DF-I-21
Light source color 3000K, 2200K
Brightness 348 cd
Luminous flux 2151 lm
Color rendering index Ra 95




LTHY-1000-L30L20-DF-I-21
Light source color 3000K, 2000K
Brightness 336 cd
Luminous flux 2077 lm
Color rendering index Ra 95




LTHY-1000-L27L25-DF-I-21
Light source color 2700K, 2500K
Brightness 346 cd
Luminous flux 2138 lm
Color rendering index Ra 94




LTHY-1000-L27L22-DF-I-21
Light source color 2700K, 2200K
Brightness 336 cd
Luminous flux 2077 lm
Color rendering index Ra 94




LTHY-1000-L27L20-DF-I-21
Light source color 2700K, 2000K
Brightness 324 cd
Luminous flux 2003 lm
Color rendering index Ra 94




LTHY-1000-L25L22-DF-I-21
Light source color 2500K, 2200K
Brightness 285 cd
Luminous flux 1757 lm
Color rendering index Ra 94



LTHY-1000-L25L20-DF-I-21
Light source color 2500K, 2000K
Brightness 273 cd
Luminous flux 1684 lm
Color rendering index Ra 94



LTHY-1000-L22L20-DF-I-21
Light source color 2200K, 2000K
Brightness 263 cd
Luminous flux 1622 lm
Color rendering index Ra 93



Illuminance data




LTHY-21
 Luci SHIN THOF 21.5W/m


Color temperature
 6500K~2000K

Direct horizontal surface light intensity distribution chart


LTHY-2100-DL18-DF-I-21
 Light source color 6500K, 1800K
 Brightness 346 cd
 Luminous flux 2138 lm
 Color rendering index Ra -




LTHY-2100-NL18-DF-I-21
 Light source color 5000K, 1800K
 Brightness 344 cd
 Luminous flux 2126 lm
 Color rendering index Ra -




LTHY-2100-WL18-DF-I-21
 Light source color 4000K, 1800K
 Brightness 340 cd
 Luminous flux 2101 lm
 Color rendering index Ra -




LTHY-2100-WWL18-DF-I-21
 Light source color 3500K, 1800K
 Brightness 338 cd
 Luminous flux 2089 lm
 Color rendering index Ra -




LTHY-2100-L30L18-DF-I-21
 Light source color 3000K, 1800K
 Brightness 332 cd
 Luminous flux 2052 lm
 Color rendering index Ra -




LTHY-2100-L27L18-DF-I-21
 Light source color 2700K, 1800K
 Brightness 321 cd
 Luminous flux 1979 lm
 Color rendering index Ra -




LTHY-2100-L25L18-DF-I-21
 Light source color 2500K, 1800K
 Brightness 269 cd
 Luminous flux 1659 lm
 Color rendering index Ra -



LTHY-2100-L22L18-DF-I-21
 Light source color 2200K, 1800K
 Brightness 259 cd
 Luminous flux 1598 lm
 Color rendering index Ra -



LTHY-2100-L20L18-DF-I-21
 Light source color 2000K, 1800K
 Brightness 247 cd
 Luminous flux 1524 lm
 Color rendering index Ra -






LTHY-31 Luci SHIN THOF 31.6W/m

Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-DN-DF-I-31

Light source color 6500K, 5000K
Brightness 615 cd
Luminous flux 3940 lm
Color rendering index Ra 93




LTHY-1000-DW-DF-I-31

Light source color 6500K, 4000K
Brightness 610 cd
Luminous flux 3905 lm
Color rendering index Ra 95




LTHY-1000-DWW-DF-I-31

Light source color 6500K, 3500K
Brightness 607 cd
Luminous flux 3887 lm
Color rendering index Ra 95




LTHY-1000-DL30-DF-I-31

Light source color 6500K, 3000K
Brightness 599 cd
Luminous flux 3835 lm
Color rendering index Ra 96




LTHY-1000-DL27-DF-I-31

Light source color 6500K, 2700K
Brightness 582 cd
Luminous flux 3730 lm
Color rendering index Ra 96




LTHY-1000-DL25-DF-I-31

Light source color 6500K, 2500K
Brightness 511 cd
Luminous flux 3724 lm
Color rendering index Ra 96




LTHY-1000-DL22-DF-I-31

Light source color 6500K, 2200K
Brightness 497 cd
Luminous flux 3187 lm
Color rendering index Ra 96




LTHY-1000-DL20-DF-I-31

Light source color 6500K, 2000K
Brightness 481 cd
Luminous flux 3082 lm
Color rendering index Ra 95




LTHY-1000-NW-DF-I-31

Light source color 5000K, 4000K
Brightness 607 cd
Luminous flux 3887 lm
Color rendering index Ra 93




LTHY-1000-NWW-DF-I-31

Light source color 5000K, 3500K
Brightness 604 cd
Luminous flux 3870 lm
Color rendering index Ra 93




LTHY-1000-NL30-DF-I-31

Light source color 5000K, 3000K
Brightness 596 cd
Luminous flux 3817 lm
Color rendering index Ra 94




LTHY-1000-NL27-DF-I-31

Light source color 5000K, 2700K
Brightness 579 cd
Luminous flux 3712 lm
Color rendering index Ra 95




LTHY-1000-NL25-DF-I-31

Light source color 5000K, 2500K
Brightness 508 cd
Luminous flux 3257 lm
Color rendering index Ra 95




LTHY-1000-NL22-DF-I-31

Light source color 5000K, 2200K
Brightness 495 cd
Luminous flux 3169 lm
Color rendering index Ra 96




LTHY-1000-NL20-DF-I-31

Light source color 6500K, 2500K
Brightness 478 cd
Luminous flux 3064 lm
Color rendering index Ra 97




LTHY-1000-WWW-DF-I-31

Light source color 4000K, 3500K
Brightness 599 cd
Luminous flux 3835 lm
Color rendering index Ra 95




LTHY-1000-WL30-DF-I-31

Light source color 4000K, 3000K
Brightness 590 cd
Luminous flux 3782 lm
Color rendering index Ra 95



LTHY-1000-WL27-DF-I-31

Light source color 4000K, 2700K
Brightness 574 cd
Luminous flux 3677 lm
Color rendering index Ra 96






LTHY-31 Luci SHIN THOF 31.6W/m

Color temperature
6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-1000-WL25-DF-I-31

Light source color 4000K, 2500K
Brightness 503 cd
Luminous flux 3222 lm
Color rendering index Ra 96




LTHY-1000-WL22-DF-I-31

Light source color 4000K, 2200K
Brightness 489 cd
Luminous flux 3134 lm
Color rendering index Ra 96




LTHY-1000-WL20-DF-I-31

Light source color 4000K, 2000K
Brightness 473 cd
Luminous flux 3029 lm
Color rendering index Ra 95




LTHY-1000-WWL30-DF-I-31

Light source color 3500K, 3000K
Brightness 588 cd
Luminous flux 3765 lm
Color rendering index Ra 95




LTHY-1000-WWL27-DF-I-31

Light source color 3500K, 2700K
Brightness 571 cd
Luminous flux 3659 lm
Color rendering index Ra 95




LTHY-1000-WWL25-DF-I-31

Light source color 3500K, 2500K
Brightness 500 cd
Luminous flux 3204 lm
Color rendering index Ra 96




LTHY-1000-WWL22-DF-I-31

Light source color 3500K, 2200K
Brightness 486 cd
Luminous flux 3117 lm
Color rendering index Ra 96




LTHY-1000-WWL20-DF-I-31

Light source color 3500K, 2000K
Brightness 470 cd
Luminous flux 3012 lm
Color rendering index Ra 95




LTHY-1000-L30L27-DF-I-31

Light source color 3000K, 2700K
Brightness 563 cd
Luminous flux 3607 lm
Color rendering index Ra 94




LTHY-1000-L30L25-DF-I-31

Light source color 3000K, 2500K
Brightness 492 cd
Luminous flux 3152 lm
Color rendering index Ra 94




LTHY-1000-L30L22-DF-I-31

Light source color 3000K, 2200K
Brightness 478 cd
Luminous flux 3064 lm
Color rendering index Ra 94




LTHY-1000-L30L20-DF-I-31

Light source color 3000K, 2000K
Brightness 462 cd
Luminous flux 959 lm
Color rendering index Ra 95




LTHY-1000-L27L25-DF-I-31

Light source color 2700K, 2500K
Brightness 476 cd
Luminous flux 3047 lm
Color rendering index Ra 94




LTHY-1000-L27L22-DF-I-31

Light source color 2700K, 2200K
Brightness 462 cd
Luminous flux 2959 lm
Color rendering index Ra 94




LTHY-1000-L27L20-DF-I-31

Light source color 2700K, 2000K
Brightness 445 cd
Luminous flux 2854 lm
Color rendering index Ra 94




LTHY-1000-L25L22-DF-I-31

Light source color 2500K, 2200K
Brightness 391 cd
Luminous flux 2504 lm
Color rendering index Ra 94




LTHY-1000-L25L20-DF-I-31

Light source color 2500K, 2000K
Brightness 374 cd
Luminous flux 2399 lm
Color rendering index Ra 94



LTHY-1000-L22L20-DF-I-31

Light source color 2200K, 2000K
Brightness 361 cd
Luminous flux 2311 lm
Color rendering index Ra 93





LTHY-31 Luci SHIN THOF 31.6W/m


Color temperature

6500K~1800K

Direct horizontal surface light intensity distribution chart


LTHY-3100-DL18-DF-I-31

Light source color 6500K, 1800K
Brightness 476 cd
Luminous flux 3047 lm
Color rendering index Ra -




LTHY-3100-NL18-DF-I-31

Light source color 5000K, 1800K
Brightness 473 cd
Luminous flux 3029 lm
Color rendering index Ra -




LTHY-3100-WL18-DF-I-31

Light source color 4000K, 1800K
Brightness 467 cd
Luminous flux 2994 lm
Color rendering index Ra -




LTHY-3100-WWL18-DF-I-31

Light source color 3500K, 1800K
Brightness 465 cd
Luminous flux 2977 lm
Color rendering index Ra -




LTHY-3100-L30L18-DF-I-31

Light source color 3000K, 1800K
Brightness 456 cd
Luminous flux 2924 lm
Color rendering index Ra -




LTHY-3100-L27L18-DF-I-31

Light source color 2700K, 1800K
Brightness 440 cd
Luminous flux 2819 lm
Color rendering index Ra -




LTHY-3100-L25L18-DF-I-31

Light source color 2500K, 1800K
Brightness 369 cd
Luminous flux 2364 lm
Color rendering index Ra -



LTHY-3100-L22L18-DF-I-31

Light source color 2200K, 1800K
Brightness 355 cd
Luminous flux 2276 lm
Color rendering index Ra -



LTHY-3100-L20L18-DF-I-31

Light source color 2000K, 1800K
Brightness 339 cd
Luminous flux 2171 lm
Color rendering index Ra -

